

Video Encoding and Streaming Platform

High Quality-Low Latency

What is XPS

- Encoder Decoder Streaming Platform
- Ultra Low Latency @ Broadcast Video Quality
 - 4 x HD 1080p or 1 x 4K-UHD
 - H.264 HEVC @ 4:2:2 10-bit
 - Native IP-SRT RIST RTMPS Support
- Standalone Fan-Less and Rack Mount Chassis options
 - Centralized Control and Management



Problems it Solves

- Low Cost Low Latency High Quality
- Low Bandwidth Lossy Network: Public Internet
 - Non-Technical End-User: Zero Setup Time
 - Compact Versatile Form-Factor
 - Centralized Control and Management

FORM FACTORS



XPS-EDGE

Standalone Fan-Less



SCORPION Module

XPS-MIO











5782-XPS


Rack Mount Chassis 3RU - 14 Modules



XPS-REFLECTOR

- On-Prem or Cloud SRT-Gateway
 - Flexbile Inputs and Outputs
 - Audio Video Processing
 - Transcoding
 - Monitoring


REFLECTOR



Broadcast Applications


- **4K Field Contribution**
 - **Remote Production**
- Return Feed Monitoring
- Remote Collaboration


 - **Cloud Production**




VENUE

AT-HOME OPERATOR









Cloud Production





- Lower Latency with Better Quality
 - Control System: MAGNUM
 - User Interface: Web + VUE
 - Compact Versatile Form-Factor
 - Cost Effective

Advantages

THANK YOU